




SAN FRANCISCO PUBLIC UTILITIES COMMISSION

POWER ENTERPRISE

1155 Market Street, 4th Floor, San Francisco, CA 94103 • Tel. (415) 554-0725 • Fax (415) 554-1854



December 20, 2005



GAVIN NEWSOM
MAYOR

RICHARD SKLAR
PRESIDENT

ANN MOLLER CAEN
VICE PRESIDENT

E. DENNIS NORMANDY
ADAM WERBACH
RYAN L. BROOKS

SUSAN LEAL
GENERAL MANAGER

Mr. William Pfanner
Siting Project Manager
California Energy Commission
1516 Ninth Street, MS-15
Sacramento, CA 95814-5504

RE: Amendment to the Project Description, Process and Cooling Water
Supply San Francisco Electric Reliability Project (04-AFC-1)

Dear Bill:

In Supplement A, the City of San Francisco proposed the following for the process and cooling water supply:

"The City will provide untreated process water (free of floatable matter and large debris) from a water pumping station to be constructed on Marin Street near Cesar Chavez, about 0.8 mile from the site. A new pipeline will be installed along Marin, Mississippi, and Cesar Chavez streets to convey the process water to a new recycled water treatment system located on the project site.

The onsite treatment system will be designed to produce Title 22-quality recycled water, with the onsite treatment system providing primary, secondary, and tertiary treatment plus disinfection either by ultraviolet system or chlorination. The primary treatment will be accomplished by a traveling band screen, and the secondary treatment will be achieved in an aerobic tank to ensure proper biological activity. After the appropriate hydraulic retention time, the water will flow into the tertiary treatment system. The tertiary treatment and filtering will be achieved by incorporation of a Membrane BioReactor. The recycled water will then be disinfected and pumped to the recycled water storage tank for use within the plant for all non-potable water applications. This disinfected, tertiary treated water will meet the Title 22 criteria for recycled water."

With regard to water treatment chemicals, Supplement A contained the following discussion:

"Water treatment chemicals stored at SFERP are sodium hypochlorite (400 gallons), sulfuric acid (400 gallons), and aluminum sulfate (800 gallons). These materials are additives used in the cooling tower or in the water treatment process. They are consumed in the process and produce no residual waste.

PROOF OF SERVICE (REVISED 7-05-05) FILED WITH

ORIGINAL MAILED FROM SACRAMENTO ON 12-27-05

The sodium hypochlorite is a 10 to 12 percent solution, which is used in the process water treatment system and the cooling tower to control biological growth (algae). The sodium hypochlorite will be stored in portable tote near the cooling tower and the water treatment building. It is expected that the stored volume will provide 33 days of maximum continuous operation. Under a period of daily operation (rather than continuous), the preceding estimated days of chemical storage may double or be even longer. The sodium hypochlorite will be stored in a bermed area for secondary containment (an area capable of capturing any spills) that will be designed such that incompatible chemicals will be separated from each other to eliminate potential interactions/reactions in the event that the chemicals are accidentally released. It is estimated that the spill containment volume will be approximately 100 cubic feet. "

Discussion of Proposed Change in Facility Description

During the City's recent preparation of technical documentation to support the construction bid package, a more economical refinement for treatment process and cooling water supply has been identified. This refinement results in a very minor change in our recycled water supply linear route and in the elimination of the previously planned treatment processes for the on-site water supply. The opportunity for this change was discovered during final value engineering, when our design engineers were developing the details to be included in the contract package regarding the water system. As shown on the attached figure, the SFERP is now proposing to access treated secondary effluent from a pressurized manhole in the Southeast Waste Water Treatment Plant (SEWWTP) outfall located approximately 2,600 feet from the SFERP. At this location, the water supply is of significantly better quality than the raw wastewater supply from the previously proposed collection box on Marin Street. The improvement in water quality eliminates the need for the traveling band screen and the on-site secondary treatment system using an aerobic tank, reducing the project cost and long-term maintenance requirements. Onsite water treatment will now be limited to tertiary treatment as follows: incoming secondary effluent water supply will go through ultra-filtration, disinfection, and then be passed through a single stage reverse osmosis treatment system. The resultant final water quality will meet full Title 22 tertiary recycled water requirements. Water treatment chemicals used in this proposed process (including the type and amount stored) remain unchanged from the description noted above.

On December 7, 2005 Applicant filed SFPUC Preliminary Staff Assessment Comments Set 4 concerning a database search of known sites in the vicinity of the plant and linear corridors. Applicant's response was filed as Attachment

Mr. William Pfanner
December 20, 2005
Page 3

WM-70A. This response is being updated to include the database search for the proposed new water supply corridor and will be provided under separate cover.

We appreciate staff's efforts to consider this change in the project description when performing their analysis and preparing their Final Staff Assessment. Please let us know if there is any additional information your staff needs to perform its analysis.

Sincerely yours,

A handwritten signature in black ink that reads "Karen Kubick". The signature is written in a cursive, slightly slanted style.

Karen Kubick, PE
Power Enterprise
Manager of Infrastructure

ATTACHMENT

cc: Project File

Proof of Service List

Mr. William Pfanner
December 20, 2005
Page 4

bcc: Barbara Hale, AGM Power
Jeanne Sole, City Attorney
John Carrier, CH2Mhill
Steven DeYoung, Consultant
Russell Stepp, SFPUC
Randall Smith, SFPUC



**BEFORE THE ENERGY RESOURCES CONSERVATION AND DEVELOPMENT COMMISSION OF THE
STATE OF CALIFORNIA**

**APPLICATION FOR CERTIFICATION
FOR THE SAN FRANCISCO ELECTRIC
RELIABILITY PROJECT**

**Docket No. 04-AFC-01
PROOF OF SERVICE
*Revised 8/03/05**

DOCKET UNIT

***Instructions:** Send an original signed document plus 12 copies **or** an electronic copy plus one original paper copy to the address below:*

**CALIFORNIA ENERGY COMMISSION
Attn: Docket No. 04-AFC-01
DOCKET UNIT, MS-4
1516 Ninth Street
Sacramento, CA 95814-5512**

*Also send a printed **or** electronic copy of all documents to each of the following:*

APPLICANT

Barbara Hale, Power Policy Manager
San Francisco Public Utilities
Commission
1155 Market Street, 4th Floor
San Francisco, CA 94102
BHale@sfgov.org

Karen Kubick
Applicant Project Manager
SF Public Utilities Commission
1155 Market St., 8th Floor
San Francisco, CA 94103
kkubick@sfgov.org

APPLICANT'S CONSULTANTS

Steve De Young
De Young Environmental Consulting
4155 Arbolado Drive
Walnut Creek, CA 94598
steve4155@astound.net

John Carrier
CH2MHill
2485 Natomas Park Drive, Suite 600
Sacramento, CA 95833-2943
jcarrier@ch2m.com

COUNSEL FOR APPLICANT

Jeanne Sole
San Francisco City Attorney
City Hall, Room 234
1 Dr. Carlton B. Goodlet Place
San Francisco, CA 94102-4682
Jeanne.sole@sfgov.org

INTERESTED AGENCIES

Emilio Varanini III
Special Counsel
California Power Authority
717 K Street, Suite 217
Sacramento, CA 95814
drp.gene@spcglobal.net

Electricity Oversight Board
770 L Street, Suite 1250
Sacramento, CA 95814

*** Donna Jordan**
CA Independent System Operator
151 Blue Ravine Road
Folsom, CA 95630
djordan@caiso.com

*** Dept. of Water Resources**
SERS
Dave Alexander
3301 El Camino Avenue, Ste. 120
Sacramento, CA 95821-9001

INTERVENORS

Jeffrey S. Russell
Vice President, West Region Operations
Mirant California, LLC
1350 Treat Blvd., Suite 500
Walnut Creek, CA 94597
Jeffrey.russell@mirant.com

Michael J. Carroll
Latham & Watkins LLP
650 Town Center Drive, Suite 2000
Costa Mesa, CA 92626
michael.carroll@lw.com

Potrero Boosters Neighborhood
Association
Dogpatch Neighborhood Association
Joseph Boss
934 Minnesota Street
San Francisco, CA 94107
joeboss@joeboss.com

San Francisco Community Power
c/o Steven Moss
2325 Third Street # 344
San Francisco, CA 94107
steven@sfpower.org

Californians for Renewable Energy, Inc.
(CARE)
Michael E. Boyd, President
5439 Soquel Drive
Soquel, California 95073
michaelboyd@sbcglobal.net

Lynne Brown – Member, CARE
Resident, Bayview Hunters Point
24 Harbor Road
San Francisco, California 94124
L_brown123@yahoo.com

Robert Sarvey
501 West Grantline Road
Tracy, CA 95376
sarveyBob@aol.com

DECLARATION OF SERVICE

I, Evelyn M Johnson declare that on December 27, 2005, I deposited copies of the attached Letter from SFPUC: Amendment to the Project Description, Process & Cooling Water Supply for San Francisco Electric Reliability Project, in the United States mail at Sacramento, California with first class postage thereon fully prepaid and addressed to those identified on the Proof of Service list above. Transmission via electronic mail was consistent with the requirements of California Code of Regulations, title 20, sections 1209, 1209.5, and 1210. I declare under penalty of perjury that the foregoing is true and correct.


[signature]

CEC INTERNAL
DISTRIBUTION LIST ONLY

Parties DO NOT mail to the following individuals. The Energy Commission Docket Unit will internally distribute documents filed in this case to the following:

JAMES D. BOYD, Commissioner
Presiding Member
MS-34

JOHN L. GEESMAN, Commissioner
Associate Member
MS-31

Stan Valkosky
Hearing Officer
MS-9

Bill Pfanner
Project Manager
MS-15

Dick Ratliff
Staff Counsel
MS-14

Margret J. Kim
Public Adviser
MS-12